

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2503	726/22-25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:00
L2	488	726/11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:00
L3	418	726/13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:00
L4	5310	709/238-244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:00
L5	16	("20020083175" "20020133586" "20030110379" "20030188189" "20030204621" "20040010712" "6704873" "6993660"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:00
L6	475	713/188.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:01
L7	7273	709/225,229,239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:02
L8	761	726/14-15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:06

L9	1577	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:07
L10	0	I1 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:09
L11	0	I2 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:10
L12	0	I3 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:10
L13	3	I4 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:10
L14	0	I6 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:10
L15	0	I7 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:10
L16	0	I8 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:10
L17	0	I9 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:11
L18	7	(rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:19

L19	36	((distribut\$3 adj denial adj of adj sevrice) ddos) and (rout\$3 near table) and ((virtual adj private adj network) vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:21
L20	0	((distribut\$3 adj denial adj of adj sevrice) ddos) and (rout\$3 near table) and (((virtual adj private adj network) vpn) adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:28
L21	0	l3 and ((distribut\$3 adj denial adj of adj sevrice) ddos) and (rout\$3 near table) and ((virtual adj private adj network) vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:58
L22	0	(multi adj protocol adj layer adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:18
L24	2	"20030188189"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:57
L25	26	(multi adj protocol adj layer adj switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:20
L26	4173	370/229-230.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:36
L27	0	l26 and ((distribut\$3 adj denial adj of adj sevrice) ddos) and (rout\$3 near table) and ((virtual adj private adj network) vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:36
L28	408	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:37

L29	1	(filter\$3 with "undesirable") and (\$2routing with message) and ((first second) with rout\$3 with table) and (rout\$3 with protocol) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:37
L30	1	(filter\$3 with "undesirable") and (\$2routing with message) and (rout\$3 with (different adj protocol)) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:37
L31	16	l26 and (filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 12:38
L32	147	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with protocol) and ((virtual adj private adj network) vpn) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 13:15
L33	157	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with protocol) and ((virtual adj private adj network) vpn) and @ad<"20030716"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 13:18
L34	111	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with protocol) and ((virtual adj private adj network) vpn) and (rout\$3 near table) and @ad<"20030716"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 13:19
L35	0	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with protocol) and ((virtual adj private adj network) vpn) and (rout\$3 near table) and (multi adj protocol adj layer) and @ad<"20030716"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 13:20
S1	1198	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:47

S2	364	726/11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:32
S3	1866	726/22-25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:33
S4	320	726/13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:33
S5	1	"undesirable message traffic"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:36
S6	16	("20020083175" "20020133586" "20030110379" "20030188189" "20030204621" "20040010712" "6704873" "6993660"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 12:27
S7	4635	709/238-244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:21
S8	1040	709/238-244.ccls. and (rout\$3 adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:22
S9	3	709/238-244.ccls. and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:26
S10	0	S1 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:27

S11	0	S2 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:27
S12	0	S3 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:27
S13	0	S4 and (rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:27
S14	7	(rout\$3 adj table) and (undesirable adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:28
S15	0	(filter\$3 with traffic) and (\$2routing with message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:29
S16	628	(filter\$3 with traffic) and (\$2routing with message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:29
S17	349	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:32
S18	91	(filter\$3 with traffic) and (\$2routing with message) and ((first second) with rout\$3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:33
S19	70	(filter\$3 with traffic) and (\$2routing with message) and ((first second) with rout\$3 with table) and @ay< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:34
S20	63	(filter\$3 with traffic) and (\$2routing with message) and ((first second) with rout\$3 with table) and (rout\$3 with protocol) and @ay< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:50

S21	1	(filter\$3 with "undesirable") and (\$2routing with message) and ((first second) with rout\$3 with table) and (rout\$3 with protocol) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:52
S22	13	(filter\$3 with "undesirable") and (\$2routing with message) and (rout\$3 with protocol) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:56
S23	288	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with protocol) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:54
S24	0	(filter\$3 with "undesirable") and (\$2routing with message) and (rout\$3 with (diferent adj protocol)) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:56
S25	1	(filter\$3 with "undesirable") and (\$2routing with message) and (rout\$3 with (different adj protocol)) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:57
S26	1	("6990089").PN.	USPAT	OR	OFF	2007/04/13 12:55
S27	16	("20020083175" "20020133586" "20030110379" "20030188189" "20030204621" "20040010712" "6704873" "6993660").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:49
S28	1376	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:21
S29	436	726/11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:21

S30	1	"undesirable message traffic"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:21
S31	377	(filter\$3 with traffic) and (\$2routing with message) and (rout\$3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:21
S32	1	(filter\$3 with "undesirable") and (\$2routing with message) and ((first second) with rout\$3 with table) and (rout\$3 with protocol) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:46
S33	0	S28 and (filter\$3 with "undesirable") and (\$2routing with message) and ((first second) with rout\$3 with table) and (rout\$3 with protocol) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:46
S34	0	S29 and (filter\$3 with "undesirable") and (\$2routing with message) and ((first second) with rout\$3 with table) and (rout\$3 with protocol) and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:46

4/ 3/ 2008 1:23:05 PM

C:\ Documents and Settings\bto3\ My Documents\ EAST\ Workspaces\ 10620981-20080403.
wsp